

**AKTIVITAS ANTIINFLAMASI EKSTRAK TEH HIJAU (*Camellia sinensis*)  
PADA TIKUS MODEL *Acute Respiratory Distress Syndrome*  
YANG DIINDUKSI LIPOPOLISAKARIDA**

**SKRIPSI**

diajukan untuk memenuhi sebagian syarat untuk memperoleh gelar Sarjana Sains  
Program Studi Biologi



oleh :

Rizka Amelia Putdayani

NIM 1703369

**PROGRAM STUDI BIOLOGI  
DEPARTEMEN PENDIDIKAN BIOLOGI  
FAKULTAS PENDIDIKAN MATEMATIKA DAN ILMU PENGETAHUAN ALAM  
UNIVERSITAS PENDIDIKAN INDONESIA  
2021**

**AKTIVITAS ANTIINFLAMASI EKSTRAK TEH HIJAU (*Camellia sinensis*) PADA TIKUS MODEL *Acute Respiratory Distress Syndrome* YANG DIINDUKSI LIPOPOLISAKARIDA**

Oleh  
Rizka Amelia Putdayani

Sebuah Skripsi yang diajukan untuk memenuhi salah satu syarat memperoleh gelar Sarjana Sains pada Fakultas Pendidikan Matematika dan Ilmu Pengetahuan Alam

©Rizka Amelia Putdayani 2021  
Universitas Pendidikan Indonesia  
Agustus 2021

Hak cipta dilindungi undang-undang

Skripsi ini tidak boleh diperbanyak seluruhnya atau sebagian, dengan dicetak ulang, difoto kopi, atau cara lainnya tanpa ijin dari penulis

**LEMBAR PENGESAHAN**


RIZKA AMELIA PUTDAYANI

AKTIVITAS ANTIINFLAMASI EKSTRAK TEH HIJAU (*Camellia sinensis*)  
PADA TIKUS MODEL *Acute Respiratory Distress Syndrome*  
YANG DIINDUKSI LIPOPOLISAKARIDA

disetujui dan disahkan oleh pembimbing:

Pembimbing I,

5 Juni 2021



Didik Priyandiko, M.Si., Ph.D.  
NIP. 196912012001121001

Pembimbing II,



Dr. Any Aryani, M.Si.  
NIP. 197105302001122001

Pembimbing III,



Dr. Ir. Wahyu Widowati, M.Si.  
NIDN. 0417046002

Mengetahui,

Ketua Program Studi Biologi



Dr. Hj. Diah Kusumawaty, M.Si.  
NIP.197008112001122001

**AKTIVITAS ANTIINFLAMASI EKSTRAK TEH HIJAU (*Camellia sinensis*)  
PADA TIKUS MODEL *Acute Respiratory Distress Syndrome*  
YANG DIINDUKSI LIPOPOLISAKARIDA**

**ABSTRAK**

Paru-paru adalah salah satu target patologis utama dari bakteri dan virus. *Acute Respiratory Distress Syndrome* (ARDS) merupakan sindrom cedera paru akut akibat infeksi patogen dengan tanda kegagalan napas yang mengakibatkan inflamasi berat dan disfungsi organ yang cepat. Sitokin TNF- $\alpha$  dan IL-18 ditemukan tinggi pada ARDS. Epigalokatekin galat dalam teh hijau telah banyak dilaporkan memiliki aktivitas antiinflamasi dan antioksidan yang cukup tinggi. Penelitian ini dilakukan untuk mengetahui potensi ekstrak teh hijau (*green tea extract*, GTE) sebagai antiinflamasi pada tikus model ARDS. Tikus jantan *Sprague Dawley* diinduksi 5  $\mu$ g/g BB lipopolisakarida sebagai hewan model ARDS setelah perlakuan GTE selama 28 hari dengan variasi dosis 50; 400; 800 mg/kg BB. Ekstrak dilanjutkan selama 14 hari, kemudian tikus dimatikan untuk menghitung kadar TNF- $\alpha$  dan IL-18 dari serum darah dan jaringan paru-paru menggunakan metode ELISA. Induksi LPS meningkatkan sitokin TNF- $\alpha$  sebesar  $438.35 \pm 51,65$  pg/mL (serum darah) dan  $10.70 \pm 0,60$  pg/mg (jaringan paru-paru) serta sitokin IL-18 sebesar  $251.90 \pm 5,52$  pg/mL (serum darah) dan  $5.01 \pm 0,04$  pg/mg (jaringan paru-paru). Ketiga dosis menurunkan ekspresi TNF- $\alpha$  dan IL-18 pada kedua sampel. Konsentrasi TNF- $\alpha$  terendah ditunjukkan oleh dosis 800 mg/kg BB ( $P < 0,05$ ) sebesar  $265.00 \pm 15,52$  pg/mL (serum darah) dan  $6.54 \pm 0,47$  pg/mg (jaringan paru-paru) sementara dosis 400 mg/kg BB menyebabkan penurunan IL-18 yang tinggi ( $P < 0,05$ ) dengan konsentrasi sebesar  $90.62 \pm 2,76$  pg/mL (serum darah) dan  $2.70 \pm 0,44$  pg/mg (jaringan paru-paru). GTE menunjukkan efek antiinflamasi dengan menurunkan sitokin TNF- $\alpha$  dan IL-18 pada tikus model ARDS sehingga dapat menjadi sumber potensial untuk menanggulangi ARDS.

Kata Kunci: *Teh hijau, Sindrom Gangguan Pernafasan Akut, Antiinflamator, Lipopolisakarida, Sitokin pro-inflamasi*

**ANTIINFLAMMATORY ACTIVITY OF GREEN TEA (*Camellia sinensis*)  
EXTRACT ON ACUTE RESPIRATORY DISTRESS SYNDROME RAT MODEL  
INDUCED BY LIPOPOLYSACCHARIDE**

**ABSTRACT**

The lungs are one of the major pathological targets of bacteria and viruses. Acute Respiratory Distress Syndrome (ARDS) is an acute lung injury syndrome caused by pathogen infection that characterized by respiratory failure resulting severe inflammation and rapid organ dysfunction. TNF- $\alpha$  and IL-18 cytokines were found higher in ARDS. Epigallocatechin gallate in green tea has been widely reported to have high anti-inflammatory and antioxidant. This study was conducted to determine the potential of green tea extract (GTE) as an anti-inflammatory in ARDS rats. Sprague Dawley male rats were induced by 5  $\mu$ g/g BW lipopolysaccharide as an ARDS animal model after 28 days of GTE treatment with a dose variation of 50; 400; 800 mg/kg BW. The extract was continued for 14 days, then the rats were killed to measure the levels of TNF- $\alpha$  and IL-18 from blood serum and lung tissue using the ELISA method. Induction of LPS increased TNF- $\alpha$  cytokines by  $438.35 \pm 51.65$  pg/mL (blood serum) and  $10.70 \pm 0.60$  pg/mg (lung tissue) also IL-18 cytokines by  $251.90 \pm 5.52$  pg/mL (blood serum) and  $5.01 \pm 0.04$  pg/mg (lung tissue). The three doses decreased the expression of TNF- $\alpha$  and IL-18 in both samples. The lowest TNF- $\alpha$  concentration was indicated by a dose of 800 mg/kg BW ( $P < 0.05$ ) of  $265.00 \pm 15.52$  pg/mL (blood serum) and  $6.54 \pm 0.47$  pg/mg (lung tissue) meanwhile dose of 400 mg/kg BW caused a high decrease in IL-18 ( $P < 0.05$ ) with concentrations of  $90.62 \pm 2.76$  pg/mL (blood serum) and  $2.70 \pm 0.44$  pg/mg (lung tissue). GTE exhibits anti-inflammatory effects by downregulating TNF- $\alpha$  and IL-18 cytokines in ARDS rat models so that it can be a potential source to overcome of ARDS.

**Keywords:** *Green Tea, Acute Respiratory Distress Syndrome, Antiinflammatory, Lipopolysaccharide, Proinflammatory cytokine.*

## DAFTAR ISI

<b>LEMBAR PENGESAHAN .....</b>	<b>i</b>
<b>PERNYATAAN.....</b>	<b>ii</b>
<b>UCAPAN TERIMA KASIH.....</b>	<b>iii</b>
<b>ABSTRAK .....</b>	<b>v</b>
<b>DAFTAR ISI.....</b>	<b>vii</b>
<b>DAFTAR TABEL.....</b>	<b>ix</b>
<b>DAFTAR GAMBAR .....</b>	<b>x</b>
<b>DAFTAR LAMPIRAN .....</b>	<b>xi</b>
<b>BAB I PENDAHULUAN.....</b>	<b>1</b>
1.1 Latar Belakang.....	1
1.2 Rumusan Masalah .....	5
1.3 Pertanyaan Penelitian .....	5
1.4 Batasan Masalah.....	6
1.5 Tujuan Penelitian.....	6
1.6 Manfaat Penelitian.....	6
1.7 Struktur Organisasi.....	7
<b>BAB II TEH HIJAU UNTUK MENURUNKAN INFLAMASI PADA <i>Acute Respiratory Distress Syndrom</i> YANG LIPOPOLISAKARIDA.....</b>	<b>9</b>
2.1 Teh Hijau ( <i>Camellia sinensis</i> ) dan Potensinya untuk Bahan Obat.....	9
2.2 <i>Acute Respiratory Distress Syndrome</i> (ARDS).....	14
2.3 Inflamasi dan Mekanismenya.....	17
2.4 Lipopolisakarida (LPS) .....	21
<b>BAB III METODOLOGI PENELITIAN .....</b>	<b>24</b>
3.1 Jenis dan Desain Penelitian .....	24
3.2 Populasi dan Sampel Penelitian.....	25

3.3	Waktu dan Lokasi Penelitian.....	26
3.4	Alat dan Bahan Penelitian .....	26
3.5	Prosedur Penelitian.....	26
3.5.1	Persiapan Alat dan Bahan .....	26
3.5.2	Ekstraksi Teh Hijau.....	26
3.5.3	Penentuan Dosis .....	27
3.5.4	Pembuatan Sediaan LPS .....	28
3.5.5	Perlakuan Hewan .....	28
3.5.6	Pengambilan Sampel.....	29
3.5.7	Uji ELISA .....	30
3.6	Analisis Statistik.....	31
3.7	Alur Penelitian.....	31
<b>BAB IV TEMUAN DAN PEMBAHASAN .....</b>		<b>33</b>
4.1	Berat Badan Tikus .....	33
4.2	Uji ELISA.....	36
4.2.1	Kadar Sitokin pada Sampel Serum Darah.....	36
4.2.2	Kadar Sitokin pada Sampel Jaringan Paru-paru.....	41
4.3	Peranan Teh Hijau sebagai Agen Antiinflamasi .....	45
<b>BAB V SIMPULAN, IMPLIKASI, DAN REKOMENDASI .....</b>		<b>49</b>
5.1	Simpulan.....	49
5.2	Implikasi.....	49
5.3	Rekomendasi .....	50
<b>DAFTAR PUSTAKA .....</b>		<b>51</b>
<b>LAMPIRAN.....</b>		<b>74</b>

## DAFTAR PUSTAKA

- Ahn, H. Y., & Kim, C. H. (2011). Epigallocatechin-3-gallate Regulates Inducible Nitric Oxide Synthase Expression in Human Umbilical Vein Endothelial Cells. *Laboratory Animal Research*, 27(2), 85. <https://doi.org/10.5625/lar.2011.27.2.85>
- Akhmadi, I. H. (2012). *Rancangan Acak Lengkap Untuk Mengetahui Pengaruh Jenis Bahan Bakar terhadap Banyaknya Konsumsi Bahan Bakar Kendaraan Bermotor*. (Skripsi). Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Negeri Yogyakarta, Yogyakarta.
- Amelinda, E., Widarta, I. W. R., & Darmayanti, L. P. T. (2018). Pengaruh Waktu Maserasi terhadap Aktivitas Antioksidan Ekstrak Rimpang Temulawak (*Curcuma xanthorrhiza* Roxb.). *Jurnal Ilmu dan Teknologi Pangan (ITEPA)*, 7(4), 165. <https://doi.org/10.24843/itepa.2018.v07.i04.p03>
- Amidi, N., Moradkhani, S., Sedaghat, M., Khiripour, N., Larki-Harchegani, A., Zadkhosh, N., Mirhoseini, M., & Ranjbar, A. (2016). Effect of Green Tea on Inflammation and Oxidative Stress in Cisplatin-induced Experimental Liver Function. *Journal of HerbMed Pharmacology*, 5(3), 99–102.
- Amin, Z., Afifah, H., & Mamudi, C. O. (2016). Short-Term Survival of Acute Respiratory Distress Syndrome Patients at a Single Tertiary Referral Centre in Indonesia. *Acta Medica Indonesia, The Indonesian Journal of Internal Medicine*, 48(4), 300–306.
- Aminah, S., & Yusuf, M. (2015). Efisiensi Pakan, Berat Badan dan Panjang Tulang Tikus yang Mengonsumsi Kejale Selama 6 Minggu. *Prosiding Seminar Nasional dan Internasional Universitas Muhammadiyah Semarang*. <http://103.97.100.145/index.php/psn12012010/article/view/1624>
- Antoniou, K. M., Tzouvelekis, A., Alexandrakis, M. G., Tsiligianni, I., Tzanakis, N., Sfiridaki, K., Rachiotis, G., Bouros, D., & Siafakas, N. M. (2006). Upregulation of Th1 Cytokine Profile (IL-12, IL-18) in Bronchoalveolar Lavage Fluid in Patients with Pulmonary Sarcoidosis. *Journal of Interferon & Cytokine Research*, 26(6), 400–405. <https://doi.org/10.1089/jir.2006.26.400>



- Araghizadeh, A., Kohanteb, J., & Fani, M. M. (2013). Inhibitory Activity of Green Tea (*Camellia sinensis*) Extract on Some Clinically Isolated Cariogenic and Periodontopathic Bacteria. *Medical Principles and Practice*, 22(4), 368–372. <https://doi.org/10.1159/000348299>
- Artanti, A. N., Nikmah, W. R., Setiawan, H., & Prihapsara, F. (2016). Perbedaan Kadar Kafein Daun Teh (*Camellia sinensis* (L.) Kuntze) Berdasarkan Status Ketinggian Tempat Tanam Dengan Metode Hplc. *Journal of Pharmaceutical Science and Clinical Research*, 01(01), 37–44. <https://doi.org/10.20961/jpscr.v1i1.690>
- Ashbaugh, D. G., Bigelow, D. B., Petty, T. L., & Levine, B. E. (1967). Acute Respiratory Distress in Adults. *The Lancet*, 290(7511), 319–323. [https://doi.org/10.1016/S0140-6736\(67\)90168-7](https://doi.org/10.1016/S0140-6736(67)90168-7)
- Azizoğlu, M., Ayaz, L., Bayrak, G., Yılmaz, B. C., Birbiçer, H., & Doruk, N. (2020). Evaluation of miRNAs Related with Nuclear Factor Kappa B Pathway in Lipopolysaccharide Induced Acute Respiratory Distress Syndrome. *Journal of Molecular and Cellular Medicine*, 9(2). <https://doi.org/10.22088/IJMCM.BUMS.9.2.130>
- Bae, H. B., Li, M., Kim, J. P., Kim, S. J., Jeong, C. W., Lee, H. G., Kim, W. M., Kim, H. S., & Kwak, S. H. (2010). The Effect of Epigallocatechin Gallate on Lipopolysaccharide-Induced Acute Lung Injury in A Murine Model. *Inflammation*, 33(2), 82–91. <https://doi.org/10.1007/s10753-009-9161-z>
- Bakhtiar, A., & Maranatha, R. A. (2018). Acute Respiratory Distress Syndrome. *Respirasi*, 4(2), 193–203. <https://doi.org/10.20473/jr.v4-i.2.2018.51-60>
- Barton, L. M., Duval, E. J., Stroberg, E., Ghosh, S., & Mukhopadhyay, S. (2020). COVID-19 Autopsies, Oklahoma, USA. *American Journal of Clinical Pathology*, 153(6), 725–733. <https://doi.org/10.1093/ajcp/aqaa062>
- Bektas, A., Schurman, S. H., Franceschi, C., & Ferrucci, L. (2020). A Public Health Perspective of Aging: Do Hyper-Inflammatory Syndromes such as COVID-19, SARS, ARDS, Cytokine Storm Syndrome, and Post-ICU Syndrome Accelerate Short- and Long-Term Inflammaging? *Immunity and Ageing*, 17(1). <https://doi.org/10.1186/s12979-020-00196-8>
- Bernardus, J. J. (2007). *Pengaruh Polyphenols Teh Hijau terhadap Kapasitas*

- Produksi Ifn- $\gamma$  oleh Sel Mononuklear Darah Tepi Akibat Radioterapi pada Penderita Karsinoma Nasofaring*. (Thesis). Sekolah Pascasarjana, Universitas Diponegoro, Semarang.
- Boretti, A., & Banik, B. K. (2020). Intravenous Vitamin C for Reduction of Cytokines Storm in Acute Respiratory Distress Syndrome. *Pharma Nutrition*, 12, 100190. <https://doi.org/10.1016/J.PHANU.2020.100190>
- Boyle, A. J., Sweeney, R. Mac, & McAuley, D. F. (2013). Pharmacological Treatments in ARDS; A State-of-the-art Update. *BMC Medicine* 2013 11:1, 11(1), 1–7. <https://doi.org/10.1186/1741-7015-11-166>
- Byun, E.-B., Choi, H.-G., Sung, N.-Y., & Byun, E.-H. (2012). Green Tea Polyphenol Epigallocatechin-3-gallate Inhibits TLR4 Signaling through the 67-kDa laminin receptor on lipopolysaccharide-stimulated dendritic cells. *Biochemical and Biophysical Research Communications*, 426, 480–485. <https://doi.org/10.1016/j.bbrc.2012.08.096>
- Cabrera, C., Artacho, R., & Giménez, R. (2006). Beneficial Effects of Green Tea—A Review. *Journal of the American College of Nutrition*, 25(2), 79–99. <https://doi.org/10.1080/07315724.2006.10719518>
- Cao, Y., & Cao, R. (1999). Angiogenesis Inhibited by Drinking Tea. *Nature*, 398(6726), 381. <https://doi.org/10.1038/18793>
- Car, B. D., Eng, V. M., Schnyder, B., Ozmen, L., Huang, S., Gally, P., Heumann, D., Aguet, M., & Ryffel, B. (1994). Interferon  $\gamma$  Receptor Deficient Mice are Resistant to Endotoxic Shock. *Journal of Experimental Medicine*, 179(5), 1437–1444. <https://doi.org/10.1084/jem.179.5.1437>
- Card, J. W., Carey, M. A., Bradbury, J. A., DeGraff, L. M., Morgan, D. L., Moorman, M. P., Flake, G. P., & Zeldin, D. C. (2006). Gender Differences in Murine Airway Responsiveness and Lipopolysaccharide-Induced Inflammation. *The Journal of Immunology*, 177(1), 621–630. <https://doi.org/10.4049/jimmunol.177.1.621>
- Carneiro, B. M., Batista, M. N., Braga, A. C. S., Nogueira, M. L., & Rahal, P. (2016). The Green Tea Molecule EGCG Inhibits Zika Virus Entry. *Virology*, 496, 215–218. <https://doi.org/10.1016/j.virol.2016.06.012>
- Chan, K. H., Ho, S. P., Yeung, S. C., So, W. H. L., Cho, C. H., Koo, M. W. L.,

- Lam, W. K., Ip, M. S. M., Man, R. Y. K., & Mak, J. C. W. (2009). Chinese Green Tea Ameliorates Lung Injury in Cigarette Smoke-Exposed Rats. *Respiratory Medicine*, 103(11), 1746–1754. <https://doi.org/10.1016/j.rmed.2009.04.027>
- Chan, M. M. Y., Fong, D., Ho, C. T., & Huang, H. I. (1997). Inhibition of Inducible Nitric Oxide Synthase Gene Expression and Enzyme Activity by Epigallocatechin Gallate, A Natural Product from Green Tea. *Biochemical Pharmacology*, 54(12), 1281–1286. [https://doi.org/10.1016/S0006-2952\(97\)00504-2](https://doi.org/10.1016/S0006-2952(97)00504-2)
- Chan, M. M. Y., Ho, C. T., & Huang, H. I. (1995). Effects of Three Dietary Phytochemicals from Tea, Rosemary and Turmeric on Inflammation-Induced Nitrite Production. *Cancer Letters*, 96(1), 23–29. [https://doi.org/10.1016/0304-3835\(95\)03913-H](https://doi.org/10.1016/0304-3835(95)03913-H)
- Chandra, A. K., & De, N. (2010). Goitrogenic/Antithyroidal Potential of Green Tea Extract in Relation to Catechin in Rats. *Food and Chemical Toxicology*, 48(8–9), 2304–2311. <https://doi.org/10.1016/j.fct.2010.05.064>
- Chen, L. Da, Zhang, Z. Y., Wei, X. J., Cai, Y. Q., Yao, W. Z., Wang, M. H., Huang, Q. F., & Zhang, X. Bin. (2020). Association between cytokine profiles and lung injury in COVID-19 pneumonia. *Respiratory Research*, 21(1), 1–8. <https://doi.org/10.1186/s12931-020-01465-2>
- Chen, J.-H., Tipoe, G. L., Liong, E. C., So, H. S., Leung, K.-M., Tom, W.-M., Fung, P. C., & Nanji, A. A. (2004). Green Tea Polyphenols Prevent Toxin-Induced Hepatotoxicity in Mice by Down-Regulating Inducible Nitric Oxide-Derived Prooxidants 1-3. *The American Journal of Clinical Nutrition*, 80(3), 742–751. <https://doi.org/https://doi.org/10.1093/ajcn/80.3.742>
- Chen, Z., & Hua, S. (2020). Transcription Factor-Mediated Signaling Pathways' Contribution to the Pathology of Acute Lung Injury and Acute Respiratory Distress Syndrome. *American Journal of Translational Research*, 12(9), 5608–5618. <https://doi.org/https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7540143/>
- Cheung, D. W. S., Koon, C. M., Wat, E., Ko, C. H., Chan, J. Y. W., Yew, D. T. W., Leung, P. C., Chan, W. Y., Lau, C. B. S., & Fung, K. P. (2013). A

- Herbal Formula Containing Roots of *Salvia Miltiorrhiza* (Danshen) and *Pueraria Lobata* (Gegen) Inhibits Inflammatory Mediators in LPS-Stimulated RAW 264.7 Macrophages through Inhibition of Nuclear Factor Kb (Nfkb) Pathway. *Journal of Ethnopharmacology*, 145(3), 776–783. <https://doi.org/10.1016/j.jep.2012.12.011>
- Ciesek, S., von Hahn, T., Colpitts, C. C., Schang, L. M., Friesland, M., Steinmann, J., Manns, M. P., Ott, M., Wedemeyer, H., Meuleman, P., Pietschmann, T., & Steinmann, E. (2011). The Green Tea Polyphenol, Epigallocatechin-3-Gallate, Inhibits Hepatitis C Virus Entry. *Hepatology*, 54(6), 1947–1955. <https://doi.org/10.1002/hep.24610>
- Cleary, S. J., Pitchford, S. C., Amison, R. T., Carrington, R., Robaina Cabrera, C. L., Magnen, M., Looney, M. R., Gray, E., & Page, C. P. (2020). Animal Models of Mechanisms of SARS-CoV-2 Infection and COVID-19 Pathology. *British Journal of Pharmacology*, 177(21), 4851–4865. <https://doi.org/10.1111/BPH.15143>
- Confalonieri, M., Salton, F., & Fabiano, F. (2017). Acute Respiratory Distress Syndrome. *Europe Respiratory Rev*. <https://doi.org/10.1183/16000617.0116-2016>
- Cronquist, A. (1981). *An Integrated System of Classification of Flowering Plants*. Columbia: Columbia University Press.
- Damte, D., Reza, M. A., Lee, S. J., Jo, W. S., & Park, S. C. (2011). Anti-Inflammatory Activity of Dichloromethane Extract of *Auricularia Auricula-Judae* in RAW264.7 Cells. *Toxicological Research*, 27(1), 11–14. <https://doi.org/10.5487/TR.2011.27.1.011>
- De Boever, S., Beyaert, R., Vandemaele, F., Baert, K., Duchateau, L., Goddeeris, B., De Backer, P., & Croubels, S. (2008). The Influence of Age and Repeated Lipopolysaccharide Administration on Body Temperature and the Concentration of Interleukin-6 and Igm Antibodies Against Lipopolysaccharide In Broiler Chickens. *Avian Pathology*, 37(1), 39–44. <https://doi.org/10.1080/03079450701784875>
- Doherty, G. M., Lange, J. R., Langstein, H. N., Alexander, H. R., Buresh, C. M., & Norton, J. A. (1992). Evidence for IFN-Gamma as a Mediator of the

- Lethality of Endotoxin and Tumor Necrosis Factor-Alpha. *The Journal of Immunology*, 149(5), 1666–1670.  
<https://doi.org/https://www.jimmunol.org/content/149/5/1666.short>
- Dolinay, T., Kim, Y. S., Howrylak, J., Hunninghake, G. M., An, C. H., Fredenburgh, L., Massaro, A. F., Rogers, A., Gazourian, L., Nakahira, K., Haspel, J. A., Landazury, R., Eppanapally, S., Christie, J. D., Meyer, N. J., Ware, L. B., Christiani, D. C., Ryter, S. W., Baron, R. M., & Choi, A. M. K. (2012). Inflammasome-Regulated Cytokines are Critical Mediators of Acute Lung Injury. *American Journal of Respiratory and Critical Care Medicine*, 185(11), 1225–1234. <https://doi.org/10.1164/rccm.201201-0003OC>
- Donà, M., Dell'Aica, I., Calabrese, F., Benelli, R., Morini, M., Albini, A., & Garbisa, S. (2003). Neutrophil Restraint by Green Tea: Inhibition of Inflammation, Associated Angiogenesis, and Pulmonary Fibrosis. *The Journal of Immunology*, 170(8), 4335–4341.  
<https://doi.org/10.4049/jimmunol.170.8.4335>
- Dong, G., Wang, F., Xu, L., Zhu, M., Zhang, B., & Wang, B. (2019). Serum Interleukin-18: A Novel Prognostic Indicator for Acute Respiratory Distress Syndrome. *Medicine (United States)*, 98(21).  
<https://doi.org/10.1097/MD.00000000000015529>
- Du, Z., Wang, L., Cauchemez, S., Xu, X., Wang, X., Cowling, B. J., & Meyers, L. A. (2020). Risk for Transportation of Coronavirus Disease from Wuhan to Other Cities in China. *Emerging Infectious Diseases*, 26(5), 1049–1052.  
<https://doi.org/10.3201/eid2605.200146>
- Edelman, D. A., Jiang, Y., Tyburski, J. G., Wilson, R. F., & Steffes, C. P. (2007). Cytokine Production in Lipopolysaccharide-Exposed Rat Lung Pericytes. *Journal of Trauma - Injury, Infection and Critical Care*, 62(1), 89–93.  
<https://doi.org/10.1097/TA.0b013e31802dd712>
- Edible Wild Food. (2015). *Tea Plant: Pictures, Flowers, Leaves & Identification of Camellia sinensis*. <https://www.ediblewildfood.com/tea-plant.aspx>
- Esfandiari, E., McInnes, I. B., Lindop, G., Huang, F.-P., Field, M., Komai-Koma, M., Wei, X., & Liew, F. Y. (2001). A Proinflammatory Role of IL-18 in the Development of Spontaneous Autoimmune Disease. *The Journal of*

- Immunology*, 167(9), 5338–5347.  
<https://doi.org/10.4049/jimmunol.167.9.5338>
- Farrell, A. J., Blake, D. R., Palmer, R. M. J., & Moncada, S. (1992). Increased Concentrations of Nitrite in Synovial Fluid and Serum Samples Suggest Increased Nitric Oxide Synthesis in Rheumatic Diseases. *Annals of the Rheumatic Diseases*, 51(11), 1219–1222.  
<https://doi.org/10.1136/ard.51.11.1219>
- Fitriani, N. I. (2020). Tinjauan Pustaka Covid-19: Virologi, Patogenesis, Dan Manifestasi Klinis. *Jurnal Medika Malahayati*, 4(3).  
<https://doi.org/http://ejournalmalahayati.ac.id/index.php/medika/article/view/3174>
- Fityanti, R. P. (2017). *Ekstrak Propolis Sebagai Preventif pada Kultur Makrofag yang Diinfeksi Virus Newcastle Disease berdasarkan Penurunan TNF- $\alpha$  (Tumor Necrosis Factor Alpha) dan IL-6 (Interleukin-6)*. (Skripsi). Pendidikan Kedokteran Hewan, Universitas Brawijaya, Malang.
- Flament, H., Rouland, M., Beaudoin, L., Toubal, A., Bertrand, L., Lebourgeois, S., Gouda, Z., Rousseau, C., Soulard, P., Hurtado-Nedelec, M., Luce, S., Bailly, K., Andrieu, M., Boitard, C., Vallet-Pichard, A., Gautier, J. F., Ajzenberg, N., Terrier, B., Pene, F., ... Lehuen, A. (2020). Outcome of SARS-Cov-2 Infection Linked to MAIT Cell Activation and Cytotoxicity: Evidence for an IL-18 Dependent Mechanism. *Nature Immunology*, 22, 322–335. <https://doi.org/10.1038/s41590-021-00870-z>
- Fodor, R.-ștefania, Meda Georgescu, A., Cioc, A., Liana Grigorescu, B., Simion Cotoi, O., Fodor, P., Maria Copotoiu, S., & Azamfirei, L. (2015). Time-and Dose-Dependent Severity of Lung Injury in A Rat Model of Sepsis. *Rom J Morphol Embryol*, 56(4), 1329–1337. <http://www.rjme.ro/>
- Garbisa, S., Sartor, L., Biggin, S., Salvato, B., Benelli, R., & Albini, A. (2001). Tumor Gelatinases and Invasion Inhibited by the Green Tea Flavanol Epigallocatechin-3-Gallate. *Cancer*, 91(4), 822–832.  
[https://doi.org/10.1002/1097-0142\(20010215\)91:4<822::AID-CNCR1070>3.0.CO;2-G](https://doi.org/10.1002/1097-0142(20010215)91:4<822::AID-CNCR1070>3.0.CO;2-G)
- Go, H., Koh, J., Kim, H. S., Jeon, Y. K., & Chung, D. H. (2014). Expression of



- Toll-like Receptor 2 and 4 is Increased in the Respiratory Epithelial Cells of Chronic Idiopathic Interstitial Pneumonia Patients. *Respiratory Medicine*, 108(5), 783–792. <https://doi.org/10.1016/J.RMED.2013.12.007>
- Gomes, F. O. dos S., Oliveira, A. C., Ribeiro, E. L., da Silva, B. S., dos Santos, L. A. M., de Lima, I. T., Silva, A. K. S. e, da Rocha Araújo, S. M., Gonçalves, T., de Melo-Junior, M. R., & Peixoto, C. A. (2017). Intraurethral Injection with LPS: An Effective Experimental Model of Prostatic Inflammation. *Inflammation Research*, 67(1), 43–55. <https://doi.org/10.1007/S00011-017-1094-7>
- Goodman, R. B., Pugin, J., Lee, J. S., & Matthay, M. A. (2003). Cytokine-Mediated Inflammation in Acute Lung Injury. *Cytokine and Growth Factor Reviews*, 14(6), 523–535. [https://doi.org/10.1016/S1359-6101\(03\)00059-5](https://doi.org/10.1016/S1359-6101(03)00059-5)
- Guo, Y. R., Cao, Q. D., Hong, Z. S., Tan, Y. Y., Chen, S. D., Jin, H. J., Tan, K. Sen, Wang, D. Y., & Yan, Y. (2020). The Origin, Transmission and Clinical Therapies on Coronavirus Disease 2019 (COVID-19) Outbreak- An Update on the Status. *Military Medical Research*, 7(1), 1–10. <https://doi.org/10.1186/s40779-020-00240-0>
- Ha, S. K., Moon, E., Ju, M. S., Kim, D. H., Ryu, J. H., Oh, M. S., & Kim, S. Y. (2012). 6-Shogaol, A Ginger Product, Modulates Neuroinflammation: A New Approach to Neuroprotection. *Neuropharmacology*, 63(2), 211–223. <https://doi.org/10.1016/j.neuropharm.2012.03.016>
- Haghighatdoost, F., & Hariri, M. (2019). The Effect of Green Tea on Inflammatory Mediators: A Systematic Review and Meta-analysis of Randomized Clinical Trials. *Phytotherapy Research*, 33(9), 2274–2287. <https://doi.org/10.1002/PTR.6432>
- Halter, S., ce Aimade, L., le Barbié, M., le ne Brisson, H., Rouby, J.-J., Langeron, O., Klatzmann, D., Rosenzweig, M., & Monsel, A. (2019). T Regulatory Cells Activation and Distribution are Modified in Critically Ill Patients with Acute Respiratory Distress Syndrome: A Prospective Single-Centre Observational Study. *Societe Francaise d'Anesthesie et de Reanimation*, 2352–5568. <https://doi.org/10.1016/j.accpm.2019.07.014>
- He, J., Xu, L., Yang, L., & Wang, X. (2018). Epigallocatechin Gallate Is the Most

- Effective Catechin Against Antioxidant Stress via Hydrogen Peroxide and Radical Scavenging Activity. *Medical Science Monitor: International Medical Journal of Experimental and Clinical Research*, 24, 8198. <https://doi.org/10.12659/MSM.911175>
- Henriques, B. O., Corrêa, O., Azevedo, E. P. C., Pádua, R. M., Oliveira, V. L. S. D., Oliveira, T. H. C., Boff, D., Dias, A. C. F., Souza, D. G. D., Amaral, F. A., Teixeira, M. M., Castilho, R. O., & Braga, F. C. (2016). In Vitro TNF-  $\alpha$  Inhibitory Activity of Brazilian Plants and Anti-Inflammatory Effect of *Stryphnodendron adstringens* in an Acute Arthritis Model. *Evidence-based Complementary and Alternative Medicine*, 2016, 15. <https://doi.org/10.1155/2016/9872598>
- Heremans, H., Dillen, C., Groenen, M., Matthys, P., & Billiau, A. (2000). Role of Interferon- $\Gamma$  and Nitric Oxide in Pulmonary Edema and Death Induced by Lipopolysaccharide. *American Journal of Respiratory and Critical Care Medicine*, 161(1), 110–117. <https://doi.org/10.1164/ajrccm.161.1.9902089>
- Hermawan, D., Hoesin, R. G., & Suhendro, G. (2009). The Comparison of Active and Total Transforming Growth Factor-  $\beta$  2 Concentration on Fresh and Cryopreservation Amnion Membrane. *Jurnal Oftalmologi Indonesia*, 7(2), 43–47. [https://doi.org/http://journal.unair.ac.id/filerPDF/J%20Oftalmologi%20Vol%207%20no%202%20\(Dicky%20Hermawan\).pdf](https://doi.org/http://journal.unair.ac.id/filerPDF/J%20Oftalmologi%20Vol%207%20no%202%20(Dicky%20Hermawan).pdf)
- Hidayat, A. A. (2007). *Metode Penelitian dan Teknik Analisis Data*. Jakarta: Salemba Medika
- Higdon, J. V., & Frei, B. (2003). Tea Catechins and Polyphenols: Health Effects, Metabolism, and Antioxidant Functions. *Critical Reviews in Food Science and Nutrition*, 43(1), 89–143. <https://doi.org/10.1080/10408690390826464>
- Hisanaga, A., Ishida, H., Sakao, K., Sogo, T., Kumamoto, T., Hashimoto, F., & Hou, D. X. (2014). Anti-Inflammatory Activity and Molecular Mechanism of Oolong Tea Theasinensin. *Food and Function*, 5(8), 1891–1897. <https://doi.org/10.1039/c4fo00152d>
- Hsu, Y. W., Tsai, C. F., Chen, W. K., Huang, C. F., & Yen, C. C. (2011). A Subacute Toxicity Evaluation of Green Tea (*Camellia Sinensis*) Extract in



- Mice. *Food and Chemical Toxicology*, 49(10), 2624–2630.  
<https://doi.org/10.1016/j.fct.2011.07.007>
- Hu, B., Huang, S., & Yin, | Lianghong. (2021). The Cytokine Storm and COVID-19. *J Med Virol*, 93, 250–256. <https://doi.org/10.1002/jmv.26232>
- Isaacs, C. E., & Xu, W. (2013). Theaflavin-3,3'-Digallate and Lactic Acid Combinations Reduce Herpes Simplex Virus Infectivity. *Antimicrobial Agents and Chemotherapy*, 57(8), 3806–3814.  
<https://doi.org/10.1128/AAC.00659-13>
- Islamiah, A. R. (2016). *Uji Toksisitas Akut Gelatin Babi pada Tikus Betina Galur Sprague Dawley*. (Skripsi). Fakultas Kedokteran Dan Ilmu Kesehatan, UIN Syarif Hidayatullah, Jakarta.
- Ismayanti, N., Fakultas Kesehatan Masyarakat, S., & Ahmad Dahlan, U. (2012). Hubungan Antara Pola Konsumsi dan Aktivitas Fisik dengan Status Gizi pada Lansia di Panti Sosial Tresna Werdha Unit Abiyoso Yogyakarta. *Kesmas*, 6(3), 144–211.  
[https://doi.org/https://d1wqtxts1xzle7.cloudfront.net/48294186/lansia.pdf?1472083530=&response-content-disposition=inline%3B+filename%3DHUBUNGAN\\_ANTARA\\_POLA\\_KONSUMSI\\_DAN\\_AKTIVI.pdf&Expires=1626392388&Signature=IVuoKUS116ciuwjtiBm6k3QeJpT-QlWox24MVjFwoNbs3ONT2vCFNlewwb7BITPwAcEGe2E2yxjpN3ySVlO4rU4AVc5xllSq4OTq1NQyPCMRAN2QnhmJQwRZNTTCVyyULQJ~AJhBUeT3DnTODXaDhQ4B08eq8OIRpJd73g0VHt5uf7TGB3VmZYTH0U1h6VUcZVman9d84GviHdgtNa~yy5wjFauzHOxUGWxynfICgd1zlG4xPMVPp4yAV1PizYuM8uVUu0n2OZDZ4kMxKGk4UDmlRHM8vwFFs0saus0urYj1gSCtUT](https://doi.org/https://d1wqtxts1xzle7.cloudfront.net/48294186/lansia.pdf?1472083530=&response-content-disposition=inline%3B+filename%3DHUBUNGAN_ANTARA_POLA_KONSUMSI_DAN_AKTIVI.pdf&Expires=1626392388&Signature=IVuoKUS116ciuwjtiBm6k3QeJpT-QlWox24MVjFwoNbs3ONT2vCFNlewwb7BITPwAcEGe2E2yxjpN3ySVlO4rU4AVc5xllSq4OTq1NQyPCMRAN2QnhmJQwRZNTTCVyyULQJ~AJhBUeT3DnTODXaDhQ4B08eq8OIRpJd73g0VHt5uf7TGB3VmZYTH0U1h6VUcZVman9d84GviHdgtNa~yy5wjFauzHOxUGWxynfICgd1zlG4xPMVPp4yAV1PizYuM8uVUu0n2OZDZ4kMxKGk4UDmlRHM8vwFFs0saus0urYj1gSCtUT)
- Jian, X., Li, M., Zhang, Y., Ruan, Y., Guo, G., Sui, H., & Zhang, Y. (2011). Role of Growth Factors in Acute Lung Injury Induced by Paraquat in a Rat Model. *Human and Experimental Toxicology*, 30(6), 460–469.  
<https://doi.org/10.1177/09603271110372648>
- Johnson, E. R., & Matthay, M. A. (2010). Acute Lung Injury: Epidemiology, Pathogenesis, and Treatment. *Journal of Aerosol Medicine and Pulmonary*

- Drug Delivery*, 23(4), 243–252. <https://doi.org/10.1089/jamp.2009.0775>
- Kanbarkar, N., & Mishra, S. (2020). Matrix Metalloproteinase Inhibitors Identified from *Camellia sinensis* for COVID-19 Prophylaxis: An in Silico Approach. *Advances in Traditional Medicine*, 21, 173–188. <https://doi.org/10.1007/s13596-020-00508-9>
- Kane, L., & Ismail, N. (2017). Puberty as a Vulnerable Period to the Effects of Immune Challenges: Focus on Sex Differences. *Behavioural Brain Research*, 320, 374–382. <https://doi.org/10.1016/j.bbr.2016.11.006>
- Karimi, A., Moradi, M. T., Alidadi, S., & Hashemi, L. (2016). Anti-Adenovirus Activity, Antioxidant Potential, and Phenolic Content of Black Tea (*Camellia sinensis* Kuntze) Extract. *Journal of Complementary and Integrative Medicine*, 13(4), 357–363. <https://doi.org/10.1515/jcim-2016-0050>
- Katiyar, S. K., Challa, A., McCormick, T. S., Cooper, K. D., & Mukhtar, H. (1999). Prevention of UVB-Induced Immunosuppression in Mice by the Green Tea Polyphenol (-)-Epigallocatechin-3-Gallate May Be Associated with Alterations in IL-10 and IL-12 Production. *Carcinogenesis*, 20(11), 2117–2124. <https://doi.org/10.1093/carcin/20.11.2117>
- Kellner, M., Noonepalle, S., Lu, Q., Srivastava, A., Zemskov, E., Black, S. M., Kellner, M., Noonepalle, S., Lu, Q., Srivastava, A., Zemskov, E., & Black, S. M. (2017). Pulmonary Vasculature Redox Signaling in Health and Disease. *Advances in Experimental Medicine and Biology*, 967. [https://doi.org/10.1007/978-3-319-63245-2\\_8](https://doi.org/10.1007/978-3-319-63245-2_8)
- Khilnani, G. C., & Hadda, V. (2011). Corticosteroids and ARDS: A Review of Treatment and Prevention Evidence. *Lung India*, 28(2), 114. <https://doi.org/10.4103/0970-2113.80324>
- Kim, H.-R., Park, B.-K., Oh, Y.-M., Lee, Y.-S., Lee, D.-S., Kim, H.-K., Kim, J.-Y., Shim, T.-S., & Lee, S.-D. (2006). Green Tea Extract Inhibits Paraquat-Induced Pulmonary Fibrosis by Suppression of Oxidative Stress and Endothelin-1 Expression. *Lung*, 184(5), 287–295. <https://doi.org/10.1007/S00408-005-2592-X>
- Kim, H. R., Rajaiah, R., Wu, Q.-L., Satpute, S. R., Tan, M. T., Simon, J. E.,

- Berman, B. M., & Moudgil, K. D. (2008). Green Tea Protects Rats against Autoimmune Arthritis by Modulating Disease-Related Immune Events. *The Journal of Nutrition*, 138(11), 2111–2116. <https://doi.org/10.3945/jn.108.089912>
- Kim, S. J., Jeong, H. J., Lee, K. M., Myung, N. Y., An, N. H., Mo Yang, W., Kyu Park, S., Lee, H. J., Hong, S. H., Kim, H. M., & Um, J. Y. (2007). Epigallocatechin-3-Gallate Suppresses NF-Kb Activation and Phosphorylation of P38 MAPK and JNK in Human Astrocytoma U373MG Cells. *Journal of Nutritional Biochemistry*, 18(9), 587–596. <https://doi.org/10.1016/j.jnutbio.2006.11.001>
- Kosyreva, A. M., Dzhaililova, D. S., Makarova, O. V., Tsvetkov, I. S., Zolotova, N. A., Diatroptova, M. A., Ponomarenko, E. A., Mkhitarov, V. A., Khochanskiy, D. N., & Mikhailova, L. P. (2020). Sex Differences of Inflammatory and Immune Response in Pups of Wistar Rats with SIRS. *Scientific Reports*, 10(1), 15884. <https://doi.org/10.1038/s41598-020-72537-y>
- Kusmiyati, M., Sudaryat, Y., Lutfiah, I. A., Rustamsyah, A., & Rohdiana, D. (2015). Aktivitas Antioksidan, Kadar Fenol Total. *Jurnal Penelitian Teh dan Kina*, 18(2), 101–106. <https://www.researchgate.net/publication/296699064>
- Lacy, P., & Stow, J. L. (2011). Cytokine Release from Innate Immune Cells: Association with Diverse Membrane Trafficking Pathways. *Blood*, 118(1), 9–18. <https://doi.org/10.1182/blood-2010-08-265892>
- Leong, D. J., Choudhury, M., Hanstein, R., Hirsh, D. M., Kim, J. J., Majeska, R. J., Schaffler, M. B., Hardin, J. A., Spray, D. C., Goldring, M. B., Cobelli, N. J., & Sun, H. B. (2014). Green Tea Polyphenol Treatment is Chondroprotective, Anti-Inflammatory and Palliative in A Mouse Posttraumatic Osteoarthritis Model. *Arthritis Research and Therapy*, 16(1). <https://doi.org/10.1186/s13075-014-0508-y>
- Lestari, I. C. (2020). Potensi Herbal sebagai Immunomodulator. *Jurnal Kedokteran Ibnu Nafis*, 9(2), 33–44. <https://ojsfkuisu.com/index.php/ibnunafis/article/view/85>
- Li, J., Song, D., Wang, S., Dai, Y., Zhou, J., & Gu, J. (2020). Antiviral Effect of

- Epigallocatechin Gallate Via Impairing Porcine Circovirus Type 2 Attachment to Host Cell Receptor. *Viruses*, 12(2), 176. <https://doi.org/10.3390/v12020176>
- Li, Y., Zeng, Z., Cao, Y., Liu, Y., Ping, F., Liang, M., Xue, Y., Xi, C., Zhou, M., & Jiang, W. (2016). Angiotensin-Converting Enzyme 2 Prevents Lipopolysaccharide-Induced Rat Acute Lung Injury Via Suppressing The Erk1/2 and Nf-Kb Signaling Pathways Open. *Sci Rep*, 6(27911). <https://doi.org/10.1038/srep27911>
- Lipoeto, N. I., Megasari, N., & Putra, A. E. (2006). Malnutrisi Dan Asupan Kalori pada Pasien Rawat Inap di Rumah Sakit. *Majalah Kedokteran Indonesia*, 56(11). [http://repository.unand.ac.id/26/1/konsumsi\\_kalori-bb\\_imt.pdf](http://repository.unand.ac.id/26/1/konsumsi_kalori-bb_imt.pdf)
- Ma'rifah, Z. (2008). *Mengenal Teh Hijau*. Semarang: Alprin.
- Madyastuti, R., Ietje wientarsih, Setyo Widodo, Erni H Purwaningsih, & Eva Harlina. (2020). Aktivitas Diuretik dan Analisa Mineral Urin Perlakuan Ekstrak Tanaman Kumis Kucing (*Orthosiphon stamineus* Benth) pada Tikus Jantan. *Acta Veterinaria Indonesiana*, 8(2), 16–23. <https://doi.org/10.29244/avi.8.2.16-23>
- Maiti, S., & Banerjee, A. (2020). Epigallocatechin Gallate and Theaflavin Gallate Interaction in SARS-Cov-2 Spike-Protein Central Channel with Reference to the Hydroxychloroquine Interaction: Bioinformatics and Molecular Docking Study. *Drug Development Research*, 21730. <https://doi.org/10.1002/ddr.21730>
- Mak, J. C. W. (2012). Potential Role of Green Tea Catechins in Various Disease Therapies: Progress And Promise. *Clinical and Experimental Pharmacology and Physiology*, 39(3), 265–273. <https://doi.org/10.1111/j.1440-1681.2012.05673.x>
- Makabe, H., Kojika, M., Takahashi, G., Matsumoto, N., Shibata, S., Suzuki, Y., Inoue, Y., & Endo, S. (2012). Interleukin-18 Levels Reflect the Long-Term Prognosis of Acute Lung Injury and Acute Respiratory Distress Syndrome. *Journal of Anesthesia*, 26(5), 658–663. <https://doi.org/10.1007/s00540-012-1409-3>
- Matthay, M. A., & Zimmerman, G. A. (2005). Acute Lung Injury and the Acute

- Respiratory Distress Syndrome: Four Decades of Inquiry Into Pathogenesis and Rational Management. *American Journal of Respiratory Cell and Molecular Biology*, 33(4), 319–327. <https://doi.org/10.1165/rcmb.F305>
- Mazgaeen, L., & Gurung, P. (2020). Recent Advances in Lipopolysaccharide Recognition Systems. *International Journal of Molecular Sciences*, 21, 379. <https://doi.org/10.3390/ijms21020379>
- Mehta, P., McAuley, D. F., Brown, M., Sanchez, E., Tattersall, R. S., & Manson, J. J. (2020). COVID-19: Consider Cytokine Storm Syndromes and Immunosuppression. *The Lancet*, 395(10229), 1033–1034. [https://doi.org/10.1016/S0140-6736\(20\)30628-0](https://doi.org/10.1016/S0140-6736(20)30628-0)
- Merken, H. M., & Beecher, G. R. (2000). Measurement of Food Flavonoids by High-Performance Liquid Chromatography: A Review. *Journal of Agricultural and Food Chemistry*, 48(3), 577–599. <https://doi.org/10.1021/jf990872o>
- Mishra, N. K., Chandini, D., Saijyothi, G., Divya, V. G., & Sreeja, I. (2014). Anti-Inflammatory Activity Of *Camellia sinensis* By Using Cotton Pellet Granuloma In Rat. *Pharma Science Monitor*, 5(2). [http://www.pharmasm.com/current\\_issue2.php?archive=42](http://www.pharmasm.com/current_issue2.php?archive=42)
- Mitchell, W. B. (2020). Thromboinflammation in COVID-19 Acute Lung Injury. *Paediatric Respiratory Reviews*, 35, 20–24. <https://doi.org/10.1016/j.prrv.2020.06.004>
- Mittal, N., & Sanyal, S. N. (2011). In Vivo Effect of Surfactant on Inflammatory Cytokines During Endotoxin-Induced Lung Injury in Rodents. *Journal of Immunotoxicology*, 8(4), 274–283. <https://doi.org/10.3109/1547691X.2011.591294>
- Miura, Y., Chiba, T., Tomita, I., Koizumi, H., Miura, S., Umegaki, K., Hara, Y., Ikeda, M., & Tomita, T. (2001). Tea Catechins Prevent the Development of Atherosclerosis in Apoprotein E-Deficient Mice. *Journal of Nutrition*, 131(1), 27–32. <https://doi.org/10.1093/jn/131.1.27>
- Mizuno, K., Takahashi, H. K., Iwagaki, H., Katsuno, G., Kamurul, H. A. S. M., Ohtani, S., Mori, S., Yoshino, T., Nishibori, M., & Tanaka, N. (2005).  $\beta$ 2-Adrenergic Receptor Stimulation Inhibits LPS-Induced IL-18 and IL-12

- Production in Monocytes. *Immunology Letters*, 101(2), 168–172.  
<https://doi.org/10.1016/j.imlet.2005.05.008>
- Moldoveanu, B., Otmishi, P., Jani, P., Walker, J., Sarmiento, X., Guardiola, J., Saad, M., & Yu, J. (2009). Inflammatory Mechanisms in the Lung. *Journal of Inflammation Research*, 2, 1–11.  
<https://www.dovepress.com/>
- Mota, M. A. de L., Landim, J. S. P., Targino, T. S. S., Silva, S. F. R. da, Silva, S. L. da, & Pereira, M. R. P. (2015). Evaluation of the Anti-inflammatory and Analgesic Effects of Green Tea (*Camellia sinensis*) in Mice. *Acta Cirurgica Brasileira*, 30(4), 2015–2243. <https://doi.org/10.1590/S0102-865020150040000002>
- Mustika, A. (2012). *Mekanisme Ekstrak Etanol Herba Centella asiatica (Pegagan) dalam Meningkatkan Apoptosis Sel Alveolar Makrofag dari Jaringan Paru Tikus yang Diinfeksi Mycobacterium tuberculosis*. (Thesis). Universitas Airlangga, Surabaya.
- Nagai, H., Kumamoto, H., Fukuda, M., & Takahashi, T. (2003). Inducible Nitric Oxide Synthase and Apoptosis-Related Factors in The Synovial Tissues of Temporomandibular Joints with Internal Derangement and Osteoarthritis. *Journal of Oral and Maxillofacial Surgery*, 61(7), 801–807.  
[https://doi.org/10.1016/S0278-2391\(03\)00155-1](https://doi.org/10.1016/S0278-2391(03)00155-1)
- Naldan, M., Emin Naldan, M., Atalay, C., Coşkun, A., Karaca, M., Aydın, Y., Dorman, E., Daloğlu, F., Kürşad, H., & Araz, Ö. (2015). The Efficacy of Spironolactone and Surfactant Treatment on HMGB1, CRP, IL-1beta and TNF-Alpha Levels in Acute Lung Injury. *Article in Turkish Journal of Thoracic and Cardiovascular Surgery*, 23(3), 538–543.  
<https://doi.org/10.5606/tgkdc.dergisi.2015.10395>
- Narimawati, U., Sarwono, J., Munandar, D., & Winanti, M. B. (2020). *Metode Penelitian dalam Implementasi Ragam Analisis*. Yogyakarta: ANDI.
- Novilla, A., Djamhuri, D. S., Nurhayati, B., Rihibiha, D. D., Afifah, E., & Widowati, W. (2017). Anti-Inflammatory Properties of Oolong Tea (*Camellia sinensis*) Ethanol Extract and Epigallocatechin Gallate in LPS-Induced RAW 264.7 Cells. *Asian Pacific Journal of Tropical Biomedicine*,



- 7(11), 1005–1009. <https://doi.org/10.1016/j.apjtb.2017.10.002>
- Ogimoto, K., Harris, M. K., & Wisse, B. E. (2006). MyD88 Is a Key Mediator of Anorexia, But Not Weight Loss, Induced by Lipopolysaccharide and Interleukin-1 $\beta$ . *Endocrinology*, 147(9), 4445–4453. <https://doi.org/10.1210/EN.2006-0465>
- Ohishi, T., Goto, S., Monira, P., Isemura, M., & Nakamura, Y. (2016). Anti-inflammatory Action of Green Tea. *Anti-Inflammatory & Anti-Allergy Agents in Medicinal Chemistry*, 15(2), 74–90. <https://doi.org/https://doi.org/10.2174/1871523015666160915154443>
- Oz, H. S. (2017). Chronic Inflammatory Diseases and Green Tea Polyphenols. *Nutrients*, 9(6), 561. <https://doi.org/10.3390/NU9060561>
- Pan, F., Ye, T., Sun, P., Gui, S., Liang, B., Li, L., Zheng, D., Wang, J., Hesketh, R. L., Yang, L., & Zheng, C. (2020). Time Course of Lung Changes at Chest CT During Recovery from Coronavirus Disease 2019 (COVID-19). *Radiology*, 295(3), 715–721. <https://doi.org/10.1148/radiol.2020200370>
- Paola, R. Di, Mazzon, E., Muià, C., Genovese, T., Menegazzi, M., Zaffini, R., Suzuki, H., & Cuzzocrea, S. (2005). Green Tea Polyphenol Extract Attenuates Lung Injury in Experimental Model of Carrageenan-Induced Pleurisy in Mice. *Respiratory Research*, 6(1), 66. <https://doi.org/10.1186/1465-9921-6-66>
- Park, W. Y., Goodman, R. B., Steinberg, K. P., Ruzinski, J. T., Radella, F., Park, D. R., Pugin, J., Skerrett, S. J., Hudson, L. D., & Martin, T. R. (2001). Cytokine Balance in the Lungs of Patients with Acute Respiratory Distress Syndrome. *American Journal of Respiratory and Critical Care Medicine*, 164(10 I), 1896–1903. <https://doi.org/10.1164/ajrccm.164.10.2104013>
- Payadnya, I. P. A. A., & Jayantika, I. G. A. N. T. (2018). *Panduan Penelitian Eksperimen Beserta Analisis Statistik dengan SPSS*. Semarang: Deepublish.
- Perhimpunan Dokter Spesialis Kardiovaskuler Indonesia. (2020). *Temuan Patologis COVID-19 Terkait dengan Acute Respiratory Distress Syndrome*. [http://www.inaheart.org/news\\_and\\_events/news/2020/4/2/temuan\\_patologis\\_covid-19\\_terkait\\_dengan\\_acute\\_respiratory\\_distress\\_syndrome\\_1](http://www.inaheart.org/news_and_events/news/2020/4/2/temuan_patologis_covid-19_terkait_dengan_acute_respiratory_distress_syndrome_1)
- Perva-Uzunalić, A., Škerget, M., Knez, Ž., Weinreich, B., Otto, F., & Grüner, S.

- (2006). Extraction of Active Ingredients from Green Tea (*Camellia sinensis*): Extraction Efficiency of Major Catechins and Caffeine. *Food Chemistry*, 96(4), 597–605. <https://doi.org/10.1016/j.foodchem.2005.03.015>
- Peterson, L. (2020). COVID-19 and Flavonoids: In Silico Molecular Dynamics Docking to the Active Catalytic Site of SARS-CoV and SARS-CoV-2 Main Protease. *SSRN Electronic Journal*. <https://doi.org/10.2139/ssrn.3599426>
- Pooladanda, V., Thatikonda, S., & Godugu, C. (2020). The Current Understanding and Potential Therapeutic Options to Combat COVID-19. *Life Sciences*, 254, 117765. <https://doi.org/10.1016/j.lfs.2020.117765>
- Potere, N., Valeriani, E., Candeloro, M., Tana, M., Porreca, E., Abbate, A., Spoto, S., Rutjes, A. W. S., & Di Nisio, M. (2020). Acute Complications and Mortality in Hospitalized Patients with Coronavirus Disease 2019: A Systematic Review and Meta-Analysis. *Critical Care*, 24(1), 1–12. <https://doi.org/10.1186/S13054-020-03022-1>
- Prasetyaningrum, N., Soemardini, S., & Fadillah, M. N. (2018). Efek Ekstrak Daun Teh Hijau (*Camellia sinensis*) terhadap Sel Osteoklas Tulang Alveolar Tikus Putih (*Rattus norvegicus*). *E-Prodenta Journal of Dentistry*, 02(01), 130–139. <https://doi.org/10.21776/ub.eprodenta.2018.002.01.5>
- Pratiknya, A. W. (2011). *Dasar-dasar Metodologi Penelitian Kedokteran dan Kesehatan* (1 ed.). Jakarta: Rajawali.
- Qin, M., & Qiu, Z. (2019). Changes in TNF-A, IL-6, IL-10 and VEGF in Rats with ARDS and the Effects of Dexamethasone. *Experimental and Therapeutic Medicine*, 17(1), 383–387. <https://doi.org/10.3892/etm.2018.6926>
- Rah, D. K., Han, D.-W., Baek, H. S., Hyon, S.-H., & Park, J.-C. (2005). Prevention of Reactive Oxygen Species-induced Oxidative Stress in Human Microvascular Endothelial Cells by Green Tea Polyphenol. *Toxicology Letters*, 155, 269–275. <https://doi.org/10.1016/j.toxlet.2004.10.002>
- Rahardyan, D. (2019). Antibacterial Potential of Catechin of Tea (*Camellia Sinensis*) and Its Applications. *Food Research*, 3(1), 1–6. [https://doi.org/10.26656/fr.2017.3\(1\).097](https://doi.org/10.26656/fr.2017.3(1).097)
- Rahimi, V. B., Rakhshandeh, H., Raucci, F., Buono, B., Shirazinia, R., Kermani,



- A. S., Maione, F., Mascolo, N., & Askari, V. R. (2019). Anti-Inflammatory and Anti-Oxidant Activity of Portulaca oleracea Extract on LPS-Induced Rat Lung Injury. *Molecules*, 24, 139. <https://doi.org/10.3390/molecules24010139>
- Ratnaningsih, T., Asmara, W., & Siswindari. (2004). Polyphenols Extracted from the Green Tea (*Camellia sinensis*) Augments the Protective Immune Responses in Mice Challenged with *Salmonella typhimurium*. *Medical Journal of Indonesia*, 13(1), 1–7. <https://doi.org/10.13181/mji.v13i1.122>
- Raton, B., New, L., Washington, Y., Hau, J., & Van Hoosier, G. L. (2003). *Handbook of Laboratory Animal Science Second Edition*. New York: CRC Press.
- Riyantie, N. (2001). *Pengaruh Defisiensi Pakan Terhadap Perubahan Beberapa Berat Organ Tikus Betina Dewasa (Rattus Sp)*. (Skrispi). Fakultas Kedokteran Hewan, Institut Pertanian Bogor, Bogor.
- Rogers, A. J., Guan, J., Trtchounian, A., Hunninghake, G. M., Kaimal, R., Desai, M., Kozikowski, L.-A., Desouza, L., Mogan, S., Liu, K. D., Matthay, M. A., Steingrub, J., Wheeler, A., Yoon, J. H., Nakahira, K., Choi, A. M., & Baron, R. M. (2019). Association of Elevated Plasma Interleukin 18 level with Increased Mortality in a Clinical Trial of Statin Treatment for ARDS HHS Public Access. *Crit Care Med*, 47(8), 1089–1096. <https://doi.org/10.1097/CCM.0000000000003816>
- Roza, D. (2017). Peningkatan Imunitas Benih Ikan Kerapu Hibrid Cantik dengan Lipopolisakarida (LPS). *Jurnal Ilmu dan Teknologi Kelautan Tropis*, 9(1), 161–172. [http://itk.fpik.ipb.ac.id/ej\\_itkt91](http://itk.fpik.ipb.ac.id/ej_itkt91)
- Rumende, C. M., Susanto, E. C., & Sitorus, T. P. (2020). The Management of Cytokine Storm in COVID-19. *Acta Medica Indonesiana*, 52(3). <https://www.actamedindones.org/index.php/ijim/article/view/1580>
- Ryu, S. D., & Chung, W. G. (2003). Induction of the Procarcinogen-Activating CYP1A2 by A Herbal Dietary Supplement in Rats and Humans. *Food and Chemical Toxicology*, 41(6), 861–866. [https://doi.org/10.1016/S0278-6915\(03\)00037-1](https://doi.org/10.1016/S0278-6915(03)00037-1)
- Santoso, U., Setyaningsih, W., Ningrum, A., & Ardhi, A. (2020). *Analisis Pangan*. Yogyakarta: UGM Press.

- Sari, A. W. (2010). *Karakterisasi Ekstrak Etanolik Daun Teh Hijau (Camellia sinensis L.)*. Universitas Sanata Dharma.
- Sartor, L., Pezzato, E., & Garbisa, S. (2002). (-)Epigallocatechin-3-Gallate Inhibits Leukocyte Elastase: Potential of the Phyto-Factor in Hindering Inflammation, Emphysema, and Invasion. *Journal of Leukocyte Biology*, 71(1), 73–79. <https://doi.org/10.1189/jlb.71.1.73>
- Sengupta, P. (2013). The Laboratory Rat: Relating Its Age With Human's. *International Journal of Preventive Medicine*, 4(6), 624. [/pmc/articles/PMC3733029/](https://pubmed.ncbi.nlm.nih.gov/24333029/)
- Shang, Y., Jiang, Y. X., Ding, Z. J., Shen, A. L., Xu, S. P., Yuan, S. Y., & Yao, S. L. (2010). Valproic Acid Attenuates the Multiple-Organ Dysfunction in A Rat Model of Septic Shock. *Chinese Medical Journal*, 123(19), 2682–2687. <https://doi.org/10.3760/cma.j.issn.0366-6999.2010.19.012>
- Sharangi, A. B. (2009). Medicinal and Therapeutic Potentialities of Tea (*Camellia Sinensis L.*)-A Review. *Food Research International*, 42(5–6), 529–535. <https://doi.org/10.1016/j.foodres.2009.01.007>
- Shin, H. Y., Kim, S. H., Jeong, H. J., Kim, S. Y., Shin, T. Y., Um, J. Y., Hong, S. H., & Kim, H. M. (2007). Epigallocatechin-3-Gallate Inhibits Secretion of TNF- $\alpha$ , IL-6 And IL-8 Through The Attenuation of ERK And NF- $\kappa$ B in HMC-1 Cells. *International Archives of Allergy and Immunology*, 142(4), 335–344. <https://doi.org/10.1159/000097503>
- Singhal, A., Aliouat, E. M., Hervé, M., Mathys, V., Kiass, M., Creusy, C., Delaire, B., Tsenova, L., Fleurisse, L., Bertout, J., Camacho, L., Foo, D., Tay, H. C., Siew, J. Y., Boukhouchi, W., Romano, M., Mathema, B., Dartois, V., Kaplan, G., & Bifani, P. (2011). Experimental Tuberculosis in the Wistar Rat: A Model for Protective Immunity and Control of Infection. *Plos One*, 6(4). <https://doi.org/10.1371/journal.pone.0018632>
- Solihah, P. S. D., BS, A., Riyanti, S., & Fitriyani, N. I. (2015). Uji Toksisitas Akut Ekstrak Air Daun Kembang Bulan Pada Mencit Swiss Webster. *Prosiding SNIJA*, 104–110.
- Sucandra, M. A. K. (2018). *Dyspnea pada Pasien Multipel Fraktur Ekstremitas Post Orif PS*. Denpasar: Universitas Udayana

- Suter, P. M., Suter, S., Girardin, E., Roux-Lombard, P., Grau, G. E., & Dayer, J.-M. (1992). High Bronchoalveolar Levels of Tumor Necrosis Factor and Its Inhibitors, Interleukin-1, Interferon, and Elastase, in Patients with Adult Respiratory Distress Syndrome after Trauma, Shock, or Sepsis. *American Review of Respiratory Disease*, 145(5), 1016–1022. <https://doi.org/10.1164/ajrccm/145.5.1016>
- Tallei, T. E., Tumilaar, S. G., Niode, N. J., Kepel, B. J., Idroes, R., & Effendi, Y. (2020). Potential of Plant Bioactive Compounds as SARS-CoV-2 Main Protease (Mpro) and Spike (S) Glycoprotein Inhibitors: A Molecular Docking Study. *Preprints*. <https://doi.org/10.20944/preprints202004.0102.v3>
- Tamfu, A. N., Ceylan, O., Kucukaydin, S., & Duru, M. E. (2020). HPLC-DAD Phenolic Profiles, Antibiofilm, Anti-Quorum Sensing and Enzyme Inhibitory Potentials of *Camellia sinensis* (L.) O. Kuntze and *Curcuma jonga* L. *LWT*, 133, 110150. <https://doi.org/10.1016/j.lwt.2020.110150>
- Teijaro, J. R., Walsh, K. B., Rice, S., Rosen, H., & Oldstone, M. B. A. (2014). Mapping the Innate Signaling Cascade Essential for Cytokine Storm during Influenza Virus Infection. *Proceedings of the National Academy of Sciences of the United States of America*, 111(10), 3799–3804. <https://doi.org/10.1073/pnas.1400593111>
- Thangavel, J., Samanta, S., Rajasingh, S., Barani, B., Xuan, Y. T., Dawn, B., & Rajasingh, J. (2015). Epigenetic Modifiers Reduce Inflammation and Modulate Macrophage Phenotype during Endotoxemia-Induced Acute Lung Injury. *Journal of Cell Science*, 128(15), 3094–3105. <https://doi.org/10.1242/jcs.170258>
- Thompson, B. T., Chambers, R. C., & Liu, K. D. (2017). Acute Respiratory Distress Syndrome. *New England Journal of Medicine*, 377(6), 562–572. <https://doi.org/10.1056/NEJMRA1608077>
- Tominari, T., Matsumoto, C., Watanabe, K., Hirata, M., Grundler, F. M. W., Miyaura, C., & Inada, M. (2015). Epigallocatechin Gallate (EGCG) Suppresses Lipopolysaccharide-Induced Inflammatory Bone Resorption, and Protects Against Alveolar Bone Loss in Mice. *FEBS Open Bio*, 5(1), 522–527. <https://doi.org/10.1016/j.fob.2015.06.003>

- Tracey, K. J., & Lowry, S. F. (1990). The Role of Cytokine Mediators in Septic Shock. *Advances in surgery (Chicago)*, 23.
- Upadhyay, S., Tripathi, P. K., Singh, M., Raghavendhar, S., Bhardwaj, M., & Patel, A. K. (2020). Evaluation of Medicinal Herbs as A Potential Therapeutic Option Against SARS-Cov-2 Targeting Its Main Protease. *Phytotherapy Research*, 34(12), 3411–3419. <https://doi.org/10.1002/ptr.6802>
- Wang, Di, Meng, J., Xu, K., Xiao, R., Xu, M., Liu, Y., Zhao, Y., Yao, P., Yan, H., & Liu, L. (2012). Evaluation of Oral Subchronic Toxicity of Pu-Erh Green Tea (*Camellia Sinensis* Var. *Assamica*) Extract in Sprague Dawley Rats. *Journal of Ethnopharmacology*, 142(3), 836–844. <https://doi.org/10.1016/j.jep.2012.06.011>
- Wang, Dongxu, Zhang, M., Wang, T., Cai, M., Qian, F., Sun, Y., & Wang, Y. (2019). Green Tea Polyphenols Prevent Lipopolysaccharide-Induced Inflammatory Liver Injury in Mice by Inhibiting NLRP3 Inflammasome Activation. *Food and Function*, 10(7), 3898–3908. <https://doi.org/10.1039/c9fo00572b>
- Wang, J., Fan, S. M., & Zhang, J. (2019). Epigallocatechin-3-Gallate Ameliorates Lipopolysaccharide-Induced Acute Lung Injury by Suppression of TLR4/NF-Kb Signaling Activation. *Brazilian Journal of Medical and Biological Research*, 52(7). <https://doi.org/10.1590/1414-431X20198092>
- Ware, L. B., & Matthay, M. A. (2000). The Acute Respiratory Distress Syndrome. *New England Journal of Medicine*, 342(18), 1334–1349. <https://doi.org/10.1056/NEJM200005043421806>
- WHO. (2000). *General Guidelines for Methodologies on Research and Evaluation of Traditional Medicine*. World Health Organization
- Widjaja, H. (2011). *Pengaruh Pemberian Vitamin C terhadap Aktivitas Fagositosis Makrofag dan Kadar Vitamin C dalam Cairan Intraperitoneal Mencit Balb/C dengan Sepsis*. (Thesis). Sekolah Pascasarjana, Universitas Diponegoro, Semarang.
- Wijayanti, E., Nurseta, T., & Norahmawati, E. (2019). Pengaruh Ekstrak Maserasi Teh Hijau terhadap Apoptosis Sel Granulosa Folikel Ovarium pada Rattus Norvegicus yang Dipajan MSG. *Mahakam Midwifery Journal (MMJ)*, 2(5),

348. <https://doi.org/10.35963/midwifery.v2i5.121>
- Worldometer. (2020). *Coronavirus Update (Live) from COVID-19 Virus Pandemic*. <https://www.worldometers.info/coronavirus/>
- Yang, F., De Villiers, W. J. S., McClain, C. J., & Varilek, G. W. (1998). Green Tea Polyphenols Block Endotoxin-Induced Tumor Necrosis Factor-Production and Lethality in a Murine Model. *Journal of Nutrition*, 128(12), 2334–2340. <https://doi.org/10.1093/jn/128.12.2334>
- Yin, S., Li, Y., Xia, H., Zhao, J., Zhang, Z., Tang, S., Kou, Z., Chen, J., Yu, J., Fan, Z., & Li, T. (2013). An Improved System for the Evaluation of Antiviral Compounds Against Herpes Simplex Virus Type 2. *Journal of Virological Methods*, 189(2), 317–320. <https://doi.org/10.1016/j.jviromet.2013.02.006>
- You, H. L., Huang, C. C., Chen, C. J., Chang, C. C., Liao, P. L., & Huang, S. T. (2018). Anti-Pandemic Influenza A (H1N1) Virus Potential of Catechin and Gallic Acid. *Journal of the Chinese Medical Association*, 81(5), 458–468. <https://doi.org/10.1016/j.jcma.2017.11.007>
- You, H., Wei, L., Sun, W. L., Wang, L., Yang, Z. L., Liu, Y., Zheng, K., Wang, Y., & Zhang, W. J. (2014). The Green Tea Extract Epigallocatechin-3-Gallate Inhibits Irradiation-Induced Pulmonary Fibrosis in Adult Rats. *International Journal of Molecular Medicine*, 34(1), 92–102. <https://doi.org/10.3892/ijmm.2014.1745>
- Zhang, J.-M., & An, J. (2007). Cytokines, Inflammation and Pain. *Int Anesthesiol Clin*, 45(2), 27–37. <https://doi.org/10.1097/AIA.0b013e318034194e>
- Zhang, Q.-W., Lin, L.-G., & Ye, W.-C. (2018). Techniques for Extraction and Isolation of Natural Products: A Comprehensive Review. *Chin Med*, 13, 20. <https://doi.org/10.1186/s13020-018-0177-x>
- Zhen, M. chuan, Wang, Q., Huang, X. hui, Cao, L. qi, Chen, X. ling, Sun, K., Liu, Y. jian, Li, W., & Zhang, L. juan. (2007). Green Tea Polyphenol Epigallocatechin-3-Gallate Inhibits Oxidative Damage and Preventive Effects on Carbon Tetrachloride-Induced Hepatic Fibrosis. *Journal of Nutritional Biochemistry*, 18(12), 795–805. <https://doi.org/10.1016/j.jnutbio.2006.12.016>
- Zhong, L., Hu, Y., Hu, Y., Li, J., Tian, Y., Chen, J., Ai, Q., & Xiao, T. (2020).

- Effects of Dietary Tea Polyphenols on Growth, Immunity and Lipid Metabolism of Juvenile Black Carp *Mylopharyngodon piceus*. *Aquaculture Research*, 51(2), 569–576. <https://doi.org/10.1111/ARE.14403>
- Zhou, X., Dai, Q., & Huang, X. (2011). Neutrophils in Acute Lung Injury. *Frontiers in Bioscience*, 17(6), 2278–2283. <https://doi.org/10.2741/4051>
- Zmarowski, A., Beekhuijzen, M., Lensen, J., & Emmen, H. (2012). Differential Performance of Wistar Han and Sprague Dawley Rats in Behavioral Tests: Differences in Baseline Behavior and Reactivity to Positive Control Agents. *Reproductive Toxicology*, 34(2), 192–203. <https://doi.org/10.1016/j.reprotox.2012.05.091>
- Zu, M., Yang, F., Zhou, W., Liu, A., Du, G., & Zheng, L. (2012). In Vitro Anti-Influenza Virus and Anti-Inflammatory Activities of Theaflavin Derivatives. *Antiviral Research*, 94(3), 217–224. <https://doi.org/10.1016/j.antiviral.2012.04.001>